


PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

| | |
|--|-----------------------------------|
| Patentee: David Charles Lyons et al. | Examiner: COCKS, Josiah C |
| Issue Date: July 18, 2006 | Group Art Unit: 3749 |
| Patent No.: 7,077,122 | Confirmation No.: 9304 |
| Appln. No.: 10/718,053 | Customer No.: 58506 |
| Filing Date: November 19, 2003 | Docket No.: 77012 - 325780 |
| Title: REDUCED CLEARANCE GAS FIREPLACE | |

Commissioner for Patents
P. O. Box 1450
Alexandria, VA 22313-1450

I CERTIFY THAT THIS CORRESPONDENCE IS BEING ELECTRONICALLY
TRANSMITTED TO THE U.S. PATENT AND TRADEMARK OFFICE (FAX
NO. (571) 273-8300), ON NOVEMBER 1, 2006.
TYPED OR PRINTED NAME OF PERSON SIGNING THIS CERTIFICATE:



Jackie O'Neil

**REQUEST FOR CERTIFICATE OF CORRECTION
OFFICE MISTAKE
SUBMITTED UNDER 37 C.F.R. 1.322**

The enclosed Certificate of Correction is submitted to correct errors in this patent arising as a result of an Office mistake. No fee is believed to be necessary. Should any fee be required, the Commissioner is authorized to charge our Deposit Account No. 06-0029 and notify us of the same.

Respectfully submitted,

FAEGRE & BENSON LLP

By: 
Scott A. Marks, Reg. No. 44,902
612/766-7820
Customer No.: 58506

Dated: November 1, 2006

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO : 7,077,122

APPLICATION NO.:10/718,053

ISSUE DATE: July 18, 2006

INVENTOR(S) : David Charles LYONS, et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 12

Line 7, delete "a" in between glass and panel – glass panel --

MAILING ADDRESS OF SENDER (Please do not use customer number below):

Scott A. Marks
FAEGRE & BENSON LLP
2200 Wells Fargo Center
90 South Seventh Street
Minneapolis, MN 55402-3901
(612) 766-7000

SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.